




MOULINÉ SPÉCIAL 25
Six Strand Embroidery Floss
ART. 117

MOULINÉ COLOR VARIATIONS
Color Variations Floss
ART. 417

MOULINÉ EFFET LUMIÈRE
Light Effects Floss
ART. 317W

COTON PERLÉ
Pearl Cotton
ART. 115 - 116

PERLÉ MÉTALLISÉ
Metallic Pearl
ART. 315





1	2	3	4	5
3713	894	151	225	211
761	893	3354	224	210
760	892	3733	152	209
3712	891	3731	223	208
3328	818	3350	3722	3837
347	957	150	3721	327
353	956	3689	221	153
352	309	3688	778	554
351	963	3687	3727	553
350	3716	3803	316	552
349	962	3685	3726	550
817	961	605	315	3747
3708	3833	604	3802	341
3706	3832	603	902	156
3705	3831	602	3743	340
3801	777	601	3042	155
666	819	600	3041	3746
321	3326 (7/8)	3806	3740	333
304	899	3805	3836	157
498	335	3804	3835	794
816	326	3609	3834	793
815		3608	154	3807
814		3607		792
		718		158
		917		791
		915		



Color Number	6	Color Number	7	Color Number	8	Color Number	9	Color Number	10
3840		159		828		964		955	
3839		160		3761		959		954	
3838		161		519		958		913	
800		3756		518		3812		912	
809		775		3760 (800)		3851		911	
799		3841		517		943		910	
798		3325		3842		3850		909	
797		3755		311		993		3818	
796		334		747		992		359	
820		322		3766		3814		368	
162		312		807		991		320	
827		803		3765		966		367	
813		336		3811		564		319	
826		823		598		563		890	
825		939		597		562		164	
824		3753		3810		505		989	
996		3752		3809		3817		988	
3843		932		3808		3816		987	
995		931		928		163		986	
3846		930		927		3815		772	
3845		3750		926		561		3348	
3844				3768		3813 (504)		3347	
				924		503		3346	
				3849		502		3345	
				3848		501		895	
				3847		500			

COMPROVATO
IN TESSILI

Passed for harmful substances according to Oeko-Tex Standard 100
No. CD 914/1 TESTEX 2008

Les couleurs sont des fils Mouline DMC respectant les normes relatives à la santé et ont été reconnues par le label Oeko-Tex.
The solid color of DMC Embroidery floss meet the Oeko-Tex label, they therefore meet health ecology standards with regard to harmful substances.



11	12	13	14	15
704	3364	613	445	951
703	3363	612	307	3856
702	3362	611	973	722
701	165	610	444	721
700	3819	3047	3078	720
699	166	3046	727	3825
907	581	3045	726	922
906	580	167	725	921
905	734	746	972	920
904	733	677	745	919
472	732 _(P2)	422	744	918
471	730	3828	743	3770
470	3013	420	742	945
469	3012	869	741	402
937	3011	728	740 _(P1)	3776
936	372	783	970	301
935	371	782 _(P1)	947	400
934	370	780	946	300
523	834	676	900	3823
3053	833	729	967	3855
3052	832	680	3824	3854
3051	831	3829	3341	3853
524	830	3822	3340	
522	829	3821	608	
520		3820	606	
		3852		



16	17	18	19	20
3827	453	85200	3072	48
977	452	BLANC	648	107
976	451	3865	647	119
3826	3861	ECRU	646	99
975	3860	822	645	52
948	779	644	844	93
754	712	642	762	121
3771	739	640	415	67
758	738	3787	318	125
3778	437	3021	414	92
356	436	3024	168	94
3830	435	3023	169	90
355	434	3022	317	51
3777	433	535	413	106
3779	801	3033	3799	111
3859	898	3782	310	105
3858	938	3032		69
3857	3371	3790		53
3774	543	3781		
950	3864	3866		
3064	3863	842		
407 <i>(1072)</i>	3862	841		
3772	3031	840		
632		839		
		838		



MOULINÉ EFFET LUMIERE
Light Effect Plus

- E 130
- E 135
- E 155
- E 316
- E 321
- E 334
- E 699
- E 3837
- E 3843
- E 3849
- E 703
- E 718
- E 815
- E 825



- E 898
- E 436
- E 3685
- E 310
- E 415



- E 211
- E 746
- E 966
- E 818
- E 747
- E 967
- E 3747
- E 5200



- E 168
- E 301
- E 317
- E 677
- E 3821
- E 3852



- E 980
- E 990
- E 940




PERLE MÉTALLISÉ
Metallic Pearl

- 5282
- 5283



MOULINÉ COLOR VARIATIONS
Color Variations Plus

- 4010
- 4015
- 4020
- 4025
- 4030
- 4040
- 4045
- 4050
- 4060
- 4065
- 4070
- 4075
- 4077
- 4080
- 4090
- 4100
- 4110
- 4120
- 4124
- 4126
- 4128



- 4130
- 4140
- 4145
- 4150
- 4160
- 4170
- 4180
- 4190
- 4200
- 4210
- 4215
- 4220
- 4230
- 4235
- 4240






TABLEAU DE RECHERCHE DES NUMÉROS DE COULEURS / Key to color numbers

N° Couleur / Color No.

Colonne / Column

B 5200 18	320 10	562 9	762 19	910 10	3032 18	3701 18	3863 17
E 5200 22	321 1	563 9	772 10	911 10	3033 18	3702 18	3864 17
BLANC 10	E 321 21	564 9	775 7	912 10	3041 4	3707 18	3865 18
ECRU 10	322 7	580 12	(776) 2	913 10	3042 4	3790 18	3866 18
48 20	326 2	581 12	777 2	915 3	3045 13	3799 19	4010 23
51 20	327 5	597 8	778 4	917 3	3046 13	3801 1	4015 23
52 20	333 5	598 8	779 17	918 15	3047 13	3802 4	4020 23
53 20	334 7	600 3	780 13	919 15	3051 11	3803 3	4025 23
67 20	E 334 21	601 3	(781) 13	920 15	3052 11	3804 3	4030 23
69 21	335 2	602 3	782 13	921 15	3053 11	3805 3	4040 23
90 20	336 7	603 3	783 13	922 15	3064 16	3806 3	4045 23
92 20	340 5	604 3	791 5	924 8	3072 19	3807 5	4050 23
93 20	341 5	605 3	792 5	926 8	3078 14	3808 8	4060 23
94 20	347 1	606 14	793 5	927 8	3325 7	3809 8	4065 23
99 20	349 1	608 14	794 5	928 8	3326 2	3810 8	4070 23
105 20	350 1	610 13	796 6	930 7	3328 1	3811 8	4075 23
106 20	351 1	611 13	797 6	931 7	3340 14	3812 9	4077 23
107 20	352 1	612 13	798 6	932 7	3341 14	3813 9	4080 23
111 20	353 1	613 13	799 6	934 11	3345 10	3814 9	4090 23
115 20	355 16	632 16	800 6	935 11	3346 10	3815 9	4100 23
121 20	356 16	640 18	801 17	936 11	3347 10	3816 9	4110 23
125 20	367 10	642 18	803 7	937 11	3348 10	3817 9	4120 23
E 130 21	368 10	644 18	(806) 8	938 17	3350 3	3818 10	4124 23
E 135 21	369 10	645 19	807 8	939 7	3354 3	3819 12	4126 23
150 3	370 12	646 19	809 6	E 940 22	3362 12	3820 13	4128 23
151 3	371 12	647 19	813 6	943 9	3363 12	3821 13	4130 24
152 4	372 12	648 19	814 1	945 15	3364 12	E 3821 21	4140 24
153 5	400 15	666 1	815 1	946 14	3371 17	3822 13	4145 24
154 4	402 15	676 13	E 815 21	947 14	3607 3	3823 15	4150 24
155 5	407 16	677 13	816 1	948 16	3608 3	3824 14	4160 24
E 155 21	413 19	E 677 21	817 1	950 16	3609 3	3825 15	4170 24
156 5	414 19	680 13	818 2	951 15	3685 3	3826 16	4180 24
157 5	415 19	690 11	E 818 22	954 10	E 3685 22	3827 16	4190 24
158 5	E 415 22	E 699 21	819 2	955 10	3687 3	3828 13	4200 24
159 7	420 13	700 11	820 6	956 2	3688 3	3829 13	4210 24
160 7	422 13	701 11	822 18	957 2	3689 3	3830 16	4215 24
161 7	433 17	702 11	823 7	958 9	3705 1	3831 2	4220 24
162 6	434 17	703 11	824 6	959 9	3706 1	3832 2	4230 24
163 9	435 17	E 703 22	825 6	961 2	3708 1	3833 2	4235 24
164 10	436 17	704 11	E 825 21	962 2	3712 1	3834 4	4240 24
165 12	E 436 22	712 17	826 6	963 2	3713 1	3835 4	5282 25
166 12	437 17	718 3	827 6	964 9	3716 2	3836 4	5283 25
167 13	444 14	E 718 21	828 8	966 9	3721 4	3837 5	
168 19	445 14	720 15	829 12	E 966 22	3722 4	E 3837 21	
E 168 21	451 17	721 15	830 12	967 14	3726 4	3838 6	
169 19	452 17	722 15	831 12	E 967 22	3727 4	3839 6	
208 5	453 17	725 14	832 12	970 14	3731 3	3840 6	
209 5	469 11	726 14	833 12	(971) 14	3733 3	3841 7	
210 5	470 11	727 14	834 12	972 14	3740 4	3842 8	
211 5	471 11	728 13	838 18	973 14	3743 4	3843 6	
E 211 22	472 11	729 13	839 18	975 16	3746 5	E 3843 21	
221 4	498 1	730 12	840 18	976 16	3747 5	3844 6	
223 4	500 9	(731) 12	841 18	977 16	E 3747 22	3845 6	
224 4	501 9	732 12	842 18	E 980 22	3750 7	3846 6	
225 4	502 9	733 12	844 19	986 10	3752 7	3847 8	
300 15	503 9	734 12	869 13	987 10	3753 7	3848 8	
301 15	(504) 9	738 17	890 10	988 10	3755 7	3849 8	
E 301 21	505 9	739 17	891 2	989 10	3756 7	E 3849 21	
304 1	517 8	740 14	892 2	E 990 22	3760 8	3850 9	
307 14	518 8	741 14	893 2	991 9	3761 8	3851 9	
309 2	519 8	742 14	894 2	992 9	3765 8	3852 13	
310 19	520 11	743 14	895 10	993 9	3766 8	E 3852 21	
E 310 22	522 11	744 14	898 17	995 6	3768 8	3853 15	
311 8	523 11	745 14	E 898 22	996 6	3770 15	3854 15	
312 7	524 11	746 13	899 2	3011 12	3771 16	3855 15	
315 4	535 18	E 746 22	900 14	3012 12	3772 16	3856 15	
316 4	543 17	747 8	902 4	3013 12	(3773) 16	3857 16	
E 316 21	550 5	E 747 22	904 11	3021 18	3774 16	3858 16	
317 19	552 5	754 16	905 11	3022 18	3776 15	3859 16	
E 317 21	553 5	758 16	906 11	3023 18	3777 16	3860 17	
318 19	554 5	760 1	907 11	3024 18	3778 16	3861 17	
319 10	561 9	761 1	909 10	3031 17	3779 16	3862 17	

Reproduction interdite - All rights of reproduction reserved - Nachdruck verboten - Nadruk verboden - Riproduzione vietata
 Prohibida la reproducción - Reprodução interdita - Eftertryk forbudt - Eftertryck förbjudet - Patisk zakazán - Tilos a sokszorosítás
 Копирование запрещено - Воспроизведение запрещается - Παντοπωλεσκάμετο ε ε ταΐρισνο

بيعت اي استنساخ . 複製禁止 . 严禁复制 . 복사 금지



fil de coton / cotton fabric



fil synthétique / synthetic fabric

MOULINÉ SPÉCIAL 25
Six Strand Embroidery Floss
 ART 117 n° 25
 8 m - 8.7 yd - 465 coul/col



MOULINÉ EFFET LUMIÈRE
Light Effects Floss
 ART 317W
 8 m - 8.7 yd - 36 coul/col



MOULINÉ COLOR VARIATIONS
Color Variations Floss
 ART 417
 8 m - 8.7 yd - 36 coul/col



fil de coton / cotton fabric



fil synthétique / synthetic fabric

COTON PERLÉ / Pearl Cotton



ART 115 n°3
 15 m ≈ 16 yd ≈ 5 g - 289 coul/col

ART 115 n°5
 25 m ≈ 27 yd ≈ 5 g - 301 coul/col

ART 116 n°5
 10 g ≈ 45 m ≈ 49 yd - 114 coul/col



ART 116 n°8
 10 g ≈ 80 m ≈ 87 yd - 222 coul/col

ART 116 n°12
 10 g ≈ 120 m ≈ 131 yd - 40 coul/col



PERLÉ MÉTALLISÉ
Metallic Pearl
 ART 315 n°5
 25 m ≈ 27 yd ≈ 5 g - 2 coul/col

LE MOULINÉ SPÉCIAL 25 DMC - ART 117. Composé de 6 brins facilement séparables, vous pouvez varier les effets selon le nombre de brins utilisés. Les cotons à longues fibres, les meilleurs du monde, dans 8 ou 16 ou son double mercerisage lui donnent un brillant exceptionnel. Les colorants sélectionnés lui assurent une excellente solidité à la lumière et au lavage (grand teint). Les coloris choisis permettent d'obtenir de très beaux dégradés.

MOULINÉ EFFET LUMIÈRE DMC - ART 317 W. Une gamme de fil à effet lumineux : or et argent, pierres précieuses, dorures antiques, effet acajou, fluorescence et phosphorescence. Un fil de 6 brins qui se brode comme le Mouliné Spécial pour apporter lumière et relief à vos créations.

MOULINÉ COLOR VARIATIONS DMC - ART 417. Ce fil de 6 brins de coton offre toute une palette de couleurs en un seul fil. Il donne vie à vos broderies par de subtiles variations de couleurs en seulement quelques points. Un résultat unique garanti pour des broderies contemporaines.

COTON PERLÉ DMC - ART 115 - 116. Ce très beau fil torsadé, très souple, au toucher satiné et soyeux, apporte du volume et un relief incomparable à vos broderies.

PERLÉ MÉTALLISÉ DMC - ART 315. Utilisé seul ou combiné au Coton Perlé DMC, ce fil est idéal pour donner un air de fête à toutes vos créations. Ce fil métallisé très souple couvre parfaitement l'ouvrage. Utiliser de courtes longueurs de fil (35-40cm).

CONSEILS D'ENTRETIEN. Respecter les conditions de lavage de la toile, excepté pour le Mouliné Métallisé et le Perlé Métallisé : lavage à 30°. Utiliser de préférence du savon ou de la lessive spécial couleurs. Rincer la broderie dans un séchoir pour éviter l'écoulement d'eau et laisser sécher à plat. Repasser la broderie encore humide sur l'envers, sur un linge propre. Régler votre fer à la température conseillée pour le tissu.

DMC SIX STRAND EMBROIDERY FLOSS 25 - ART 117. Composed of 6 easily separated strands, this thread allows you to modify the effects of your stitched project, depending on the number of strands used. It is made from the best long-staple cotton in the world, and is mercerized twice to give it exceptional sheen. The highly resistant dyes are carefully selected to ensure that the thread does not fade as a result of washing or exposure to light (colorfast).

DMC LIGHT EFFECTS FLOSS - ART 317 W. A beautiful range of threads that will add reflective qualities to your stitching. Colors include precious metals, jewels, antiques, pearlescents, fluorescent and glow-in-the-dark. This 6-strand thread is used in the same manner as DMC Six Strand Embroidery Floss, and adds light and accents to your creations.

DMC COLOR VARIATIONS FLOSS - ART 417. This 6-strand cotton thread offers a range of colors in one single thread. In only a few simple stitches, it adds life to your creations, thanks to subtle color variations, giving a unique result for contemporary needlework projects.

DMC PEARL COTTON SKIRTS AND BALLS - ART 115 - 116. This beautiful twisted thread has a satiny, supple and silky feel, giving your needlework projects a raised aspect and lustrous finish.

DMC METALLIC PEARL - ART 315. To be used alone or in combination with DMC Pearl Cotton, this thread is ideal for adding a festive appearance to all of your creations. This highly supple metallic thread perfectly covers your needlework projects. We recommend that you use shorter thread lengths (35 cm, 13"). See ease of stitching.

CARE INSTRUCTIONS - Follow the washing instructions for the fabric used, except for the Light Effects Floss and the Metallic Pearl, which should be washed at a temperature of 30°. If possible, use a mild soap or special detergent for colors. Wipe the embroidery on a towel to soak up excess water and then dry flat. Place on a clean cloth and iron on the reverse side while it is still damp, setting the iron at the temperature recommended for the fabric.